LIST OF CONTENTS

NUMBER 1

E. SIMOEN, C. CLAEYS, S. COENEN and M. DECRETON: D.c. and low frequency noise characteristics of γ -irradiated gate-all-around silicon-on-insulator MOS transistors	1
M. GAULT, H. MATSUURA, K. FURUYA, P. MAWBY and M. S. TOWERS: The inclusion of a finite capture time in the numerical simulation of quantum effect devices	9
S. S. TAN, M. YE and A. G. MILNES: Diffusion limited chemical etching effects in semiconductors	17
S. S. Lu, C. L. Huang and T. P. Sun: High-breakdown-voltage Ga _{0.51} In _{0.49} P/GaAs I-HEMT and I ² HEMT with a GaInP passivation layer grown by gas source molecular beam epitaxy	25
HEUNG-SOO RHEE, SEONGHEARN LEE and BONG-RYUL KIM: D.c. and a.c. current crowding effects model analysis in bipolar junction transistors using a new extraction method	31
D. Pogany, S. Ababou, G. Guillot, X. Hugon, B. Vilotitch and C. Lenoble: Study of RTS noise and excess currents in lattice-mismatched InP/InGaAs/InP photodetector	
RAVI GUPTA and M. EL NOKALI: A model for dual-channel high electron mobility	37
V. W. L. CHIN: Electron mobility in GaSb	51 59
SAMAR SAHAR: MOSFET test structures for two-dimensional device simulation	69
V. SARGŪNAS, D. A. THOMPSON and J. G. SIMMONS: High resistivity in <i>n</i> -type InP by He ⁺ bombardment at 300 and 60 K	75
H. Van Cong and G. Debiais: An accurate empirical generalized Einstein relation and its applications to the $n(p)$ -type silicon at high temperatures	83
H. G. Fu and T. S. Huang: A comparison study of Pd/In/Pd, Pd-In/Pd, and Pd-In ohmic contacts to n-GaAs.	89
SHI-HO KIM, HO-JUN LEE, CHUL-HI HAN, KWYRO LEE, SANG-SOO CHOI, YOUNG-JIN JEON, ENZO DI FABRIZIO and MASSIMO GENTILI: The effects of X-ray irradiation-induced damage on reliability in MOS structures	95
M. H. Juang, C. T. Lin and H. C. Cheng: Silicide-caused anomalous reverse current-voltage characteristics of $CoSi_2$ shallow p^+n junctions	101
K. MICHAEL HAN and TOSHIKAZU NISHIDA: Sequential substrate and channel hot electron injection to separate oxide and interface traps in <i>n</i> -MOSTs	105
TZUEN-HSI HUANG and MING-JER CHEN: Empirical modeling for gate-controlled collector current of lateral bipolar transistors in an <i>n</i> -MOSFET structure	115

T. SMEDES and F. M. KLAASSEN: An analytical model for the non-quasi-static small-signal behaviour of submicron MOSFETs	121
S. Mohajerzadeh, C. R. Selvakumar, J. P. Noel and D. C. Houghton: Early-voltage degradation in heterostructure bipolar transistors due to interface states	131
KUM-CHANG CHAO and MING-JER CHEN: Fowler-Nordheim limited band-to-band tunneling (FNBB) for p-MOSFET gate current in a floating bulk condition	135
P. Nubile: Bandgap narrowing effects on the open circuit voltage in Si, GaAs and InP solar cells	139
J. J. Liou and C. S. Ho: A physical model for the base transit time of advanced bipolar transistors	143
V. RYZHII and M. ERSHOV: Infrared multiple-quantum-well phototransistor	149
S. Decoutere, J. Poortmans, L. Deferm and J. Nijs: Investigation of the high frequency noise figure reduction of SiGe heterojunction bipolar transistors using actualised physical models	157
Yung-Song Lou and Ching-Yuan Wu: The effects of impurity bands on the electrical characteristics of metal-semiconductor ohmic contacts	163
P. Francis, A. Terao, D. Flandre and F. Van de Wiele: Moderate inversion model of ultrathin double-gate nMOS/SOI transistors	171
M. A. ALAM, SHIN-ICHI TANAKA and M. S. LUNDSTROM: A small-signal, one-flux analysis of short-base transport	177
Y. PAN and K. K. NG: Characterization of the gate oxide thickness and the channel length dependencies of hot-carrier degradation in LDD p-MOSFETs	183
B. Mazhari and H. Morkoç: Intrinsic gate delay of Si/SiGe integrated injection logic circuits	189
Maneesha, Subhasis Haldar, Manoj K. Khanna and R. S. Gupta: Analytical theory of two-dimensional charge sheet model for short channel MOSFETs under non linear charge control	197
J. A. LÓPEZ-VILLANUEVA, I. MELCHOR, F. GÁMIZ, J. BANQUERI and J. A. JIMÉNEZ-TEJADA: A model for the quantized accumulation layer in metal—insulator—semiconductor structures	203
M. EL-HADY, M. H. ELSAID, I. M. HAFEZ and H. HADDARA: New full-voltage-swing multi-drain/multi-collector complementary BiCMOS buffers (M ² CBiCMOS)	211
C. M. VAN VLIET, J. J. NAINAPARAMPIL and ALAN H. MARSHAK: Ehrenfest derivation of the mean forces acting in materials with nonuniform band structure: a canonical approach	217
T. T. MNATSAKANOV, B. N. GRESSEROV and L. I. POMORTSEVA: Investigation of the effect of electron-hole scattering on charge carrier transport in semiconductors and semiconductor devices under low injection conditions	225
Yu. G. Gurevich, V. M. Koshkin and I. N. Volovichev: The heterocontact of two intrinsic semiconductors and radiation-stable electronics	235

Notes	
ZAIN KACHWALLA: Non-destructive technique for estimating gate lengths of MESFETs and HEMTs using low field d.cIV data	24:
J. APPELBAUM, A. CHAIT and D. A. THOMPSON: A method for screening solar cells	24
HIKARU HIDA: Effect of current-voltage characteristics in the non-saturation regime on propagation delay for sub-1V E/D-DCFL inverters	24
JOAN PONS and RAMON ALCUBILLA: Superposition solutions for emitter quantum efficiency	252
B. K. MISHRA and P. CHAKRABARTI: An optically controlled InP MIS capacitor	255
T. Puritis, D. Volks and J. Kaupužs: Pinch effect in silicon P-N junction at secondary breakdown coming into existence	258
Vaneeta Aggarwal and R. S. Gupta: A 2D analytic field-dependent-mobility model for the <i>I-V</i> characteristics of thin film fully-depleted SOI MOSFETs	261
A. ORTIZ-CONDE, F. J. GARCÍA SÁNCHEZ, J. J. LIOU, J. ANDRIAN, R. J. LAURENCE and P. E. SCHMIDT: A generalized model for a two-terminal device and its applications to parameter extraction	265
Letter to the Editor SIMA DIMITRIJEV, DRAGAN ZUPAC and NINOSLAV STOJADINOVIC: Comments on "Substrate-bias-dependent threshold-voltage model of short-channel MOSFET"	267
NUMBER 2	
R. KAMOUA: Heterojunction cathode injectors for D-band InP Gunn devices	269
J. D. HWANG, Y. K. FANG and T. Y. TSAI: A vertical submicron SiC thin film transistor	275
J. P. Bailbé, L. Andrieux, A. Cazarré, T. Camps, A. Marty, J. Tasselli and H. Granier: Theory and experiment of the temperature dependence of GaAlAs/GaAs HBTs characteristics for power amplifier applications	279
S. P. WILSON and S. Brand: Spatio-temporal impact ionisation transients: a Lucky drift model study in GaAs	287
YUN-SHAN CHANG and SHENG S. LI: A new contactless S-polarized reflectance technique for determining the Si film and buried oxide thickness in silicon-on-insulator materials	297
Jyh-Feng Lin, Meng-Chyi Wu, Ming-Jiunn Jou, Chuan-Ming Chang and Biing-Jye Lee: AlGaInP orange light-emitting diodes grown on misoriented p-GaAs substrates	305
Antonio G. M. Strollo: Trade-off between blocking gain and on-resistance in static induction transistor	309
YISONG DAI, JIESUNG SHI, XINFA ZHANG, JIAWEL SHI and ENSUN JIN: The correlation of low frequency optical noise spectrum and electrical noise spectrum in a laser diode, with experimental results	317
G. F. NIU, G. RUAN and T. A. TANG: Inversion charge modeling of SiGe PMOS and approaches to increasing the hole density in the SiGe channel	323

S. Manzini: Active doping instability in n^+-p silicon surface avalanche diodes	33
C. D. WILSON and A. G. O'NEILL: High temperature operation of GaAs based FETs	339
SEONG-DONG KIM, IL-JUNG KIM, MIN-KOO HAN and YEARN-IK CHOI: An accurate on-resistance model for low voltage VDMOS devices	34:
M. J. LAZARUS: Improvement in the switch time of bipolar transistors with profiled base current drive	351
M. KIRILOV, V. NAKOV, M. TROTT and CH. SCHNITTLER: Modelling of single barrier heterostructures including band bending and non-parabolicity effects of the band structure	357
CONSTANTIN BULUCEA: Resistivity curves for subsurface diffused layers in silicon	367
CHIA-SONG WU, YI-JEN CHAN, CHU-DONG CHEN, TIEN-MIN CHUANG, FENG-YUH JUANG, CHUNG-CHI CHANG and JEN-INN CHYI: Double-heterojunction pseudomorphic AlGaAs/In _{0.15} Ga _{0.85} As HEMT and its short-channel effects	377
MYEON-KOO KANG, KENICHI AKASHI, TAKAYUKI MATSUI and HIROSHI KUWANO: Recrystallization characteristics of polycrystalline silicon films amorphized by germanium ion implantation	383
N. SIABI-SHAHRIVAR, W. REDMAN-WHITE, P. ASHBURN and H. A. KEMHADJIAN: Reduction of $1/f$ noise in polysilicon emitter bipolar transistors	389
ALI AFZALI-KUSHAA and GEORGE I. HADDAD: High frequency characteristics of MESFETs	401
WILLIAM LIU and AYCA YUKSEL: A survey of thermal-electric feedback coefficients in GaAs-based heterojunction bipolar transistors	407
P. GOTTWALD, R. RIEMENSCHNEIDER, B. SZENTPALI, H. L. HARNAGEL, Zs. KINCSES and M. RUSZINKO: Comparison of photo- and plasma-assisted passivating process effects on GaAs devices by means of low-frequency noise measurements	413
I. M. HAFEZ, G. GHIBAUDO, F. BALESTRA and M. HAOND: Impact of LDD structures on the operation of silicon MOSFETs at low temperature	419
M. Porges, J. Šafranková, T. Lalinský, I. Kostič, I. W. Rangelow, F. J. Tegude and D. Jäger: Asymmetric (Schottky-ohmic) MSM photodetector	425
M. M. JAHAN and A. F. M. ANWAR: Shot noise in double barrier quantum structures	429
C. L. Wu, W. C. Hsu, H. M. Shieh and M. J. Kao: Depletion-MIS-like InGaAs/GaAs delta-doped structures with high breakdown voltage and large gate voltage swing	433
D. REZNIK and W. GERLACH: The effect of nonlinear coupling of reciprocal mobilities on the charge carrier distribution in semiconductor power devices	437
B. G. MARTIN: The effect of fixed space charge on space-charge-limited current injection in impurity-band-conduction semiconductors	443
J. B. Kuo and T. C. Lu: 2D device-level simulation study on d.c. and transient behavior of a SiGe-base HBT with a graded germanium profile in an ECL buffer operating at 77K	451

vii

YI-JEN CHAN, TZU-JIN YEH and JENN-MING KUO: High temperature performance of $Ga_{0.51}In_{0.49}P/In_{0.2}Ga_{0.8}As$ pseudomorphic HEMTs with WSi _x gates	457
CHIMOON HUANG and TAHUI WANG: Transient simulation of EPROM writing characteristics, with a novel hot electron injection model	461
T. WEI and S. STAPLETON: Capacitance of resonant tunneling diodes with spacer layers	465
A. BOUDJANI, G. BASSOU, T. BENBAKHTI, M. BEGHDAD and B. BELMEKKI: Direct measurement of minority carrier diffusion length in planar devices	471
R. M. PATRIKAR, R. LAL and J. VASI: Interface state generation due to high-field stressing in MOS oxides	477
R. G. Davis and M. B. Allenson: Unified HBT base push-out and base-collector capacitance model	481
LECH DOBRZANSKI: The linear statistical d.c. model of GaAs MESFET using factor analysis	487
A. ISMAIL, M. BOUMEDIENNE and L. LASSABATERE: Schottky diode properties of Au, In-GaP (111) and (110) chemically etched surfaces	497
GIOVANNI VITO PERSIANO, ANTONIO G. M. STROLLO and PAOLO SPIRITO: Analysis of turn-on transient in power bipolar-mode FET (BMFET)	503
MANI VAIDYANATHAN and DAVID J. ROULSTON: Effective base-collector time constants for calculating the maximum oscillation frequency of bipolar transistors	509
K. Nummila, A. A. Ketterson and I. Adesida: Delay time analysis for short gate-length GaAs MESFETs	517
A. Y. POLYAKOV, A. G. MILNES, A. V. GOVORKOV, L. V. DRUZHININA, I. V. TUNITSKAYA and N. B. SMIRNOV: Band offsets in heterojunctions of InGaAsSb/AlGaAsSb	525
Note M. DJAFARI ROUHANI, A. SYLLA, K. KOUADJA and D. ESTÈVE: Theoretical analysis of the two-junction monolithic cascade $Hg_{1-x}Cd_xTe/GaAs$ solar cell	531
NUMBER 3	
Invited Paper TING L. CHU and SHIRLEY S. CHU: Thin film II-VI photovoltaics	533
Vahid Ahmadi, Susumu Noda, Kimitaka Shibata and Akio Sasaki: Optical multi-stable set-reset functions of optoelectronic integrated device composed of six heterojunction phototransistors over two laser diodes	551
Wen-Shiung Lour: Fabrication of voltage-controlled strained-layer quantum well three-terminal switching device	557
RANBIR SINGH and B. J. BALIGA: Cryogenic operation of asymmetric n-channel IGBTs	561

JUNKO TANAKA, TORU TOYABE, HITOSHI MATSUO, SIGEO IHARA, HIROO MASUDA and FUMIO OTSUKA: Reverse short-channel effect of threshold voltage in LOCOS parasitic MOSFETs	567
H. TIAN, K. W. KIM, J. R. HAUSER, N. A. MASNARI and M. A. LITTLEJOHN: Effects of profile doped elevated source/drain structures on deep-submicron MOSFETs	573
WOONG L. CHOI, DAE M. KIM and I. H. CHOI: A simple method for determining capacitive coupling coefficients in floating-gate devices	581
P. Austin, J. Caminade and J. L. Sanchez: Technology and characterization of polysilicon emitter bipolar transistors for power applications	587
YEVGENY V. MAMONTOV and MAGNUS WILLANDER: Simulation of bandgap narrowing and incomplete ionization in strained Si _{1-x} Ge _x alloys on $\langle 001 \rangle$ Si substrate (for temperatures from 40 K up to 400 K)	599
S. KASCHIEVA: Influence of a postoxidation cooling on the interface state density of MOS structures	609
F. GÁMIZ, J. BANQUERI, J. E. CARCELLER and J. A. LÓPEZ-VILLANUEVA: Effects of bulk-impurity and interface-charge on the electron mobility in MOSFETs	611
J. JOMAAH, G. GHIBAUDO and F. BALESTRA: Analysis and modeling of self-heating effects in thin-film SOI MOSFETs as a function of temperature	615
H. M. Gupta: Theory of non-steady-state electrical characteristics of metal-insulator-metal structures with Schottky barriers and uniformly distributed interface impurity states	619
C. S. Ho, J. J. Liou, D. L. Chen, L. L. Liou and C. I. Huang: Combined effects of graded and setback layers on the AlGaAs/GaAs HBT current-voltage characteristics	627
CHANG-WOO KIM, NORIO GOTO and KAZUHIKO HONJO: Two-dimensional analysis of surface recombination at the extrinsic base surface under various conditions in AlGaAs/GaAs heterojunction bipolar transistors	633
D. ROSENFELD and S. A. ALTEROVITZ: The composition dependence of the cut-off frequencies of ungraded $Si_{1-x}Ge_x/Si_{1-y}Ge_y/Si_{1-x}Ge_x$ HBTs	641
J. FOGARTY, W. KONG and R. SOLANKI: Monte Carlo simulation of high field electron transport in ZnS	653
O. L. YAKYMAKHA and Y. M. KALNIBOLOTSKIJ: Very-low-frequency (VLF) investigations of the MOSFET's high-order derivatives	661
A. Z. WANG and W. A. ANDERSON: Influence of a single InGaAs quantum well on current transport and deep levels in GaAs	673
CHANG WOO LEE and YONG TAE KIM: High temperature thermal stability of plasma- deposited tungsten nitride Schottky contacts to GaAs	679
SUMIO TANAKA: Theory of the drain leakage current in silicon MOSFETs	683
S. Z. ZAINABIDINOV, P. I. BARANSKIY, I. N. KARIMOV, A. R. TURAEV and KH. KH. KARIMBERDIEV: Effect of high hydrostatic pressure on the electrophysical properties of doped silicon crystals and devices based on them.	693

N. G. TARR, D. J. WALKEY, M. B. ROWLANDSON, S. B. HEWITT and T. W. MACELWEE: Short-channel effects on MOSFET subthreshold swing	
M. NANDAKUMAR and B. J. BALIGA: Modelling the turn-off characteristics of the base resistance controlled thyristor (BRT)	
YUNG-SONG LOU and CHING-YUAN WU: Lateral titanium silicide growth and its suppression using the a-Si/Ti bilayer structure	
E. Domínguez* and J. P. Adrados: Electronic states in $p-n$ junctions in thermal equilibrium	
B. GELMONT, M. S. SHUR and R. J. MATTAUCH: Disk and stripe capacitances	
Notes YIJUN CAI and REINHART ENGELMANN: Design of novel blue/green diode laser based on MgZnSeTe alloy	
C. R. ABERNATHY and P. W. WISK: A comparison of alane precursors for growth of AlAs and AlGaAs by metalorganic molecular beam epitaxy	
P. Chattopadhyay: A new technique for the determination of barrier height of Schottky barrier diodes	
J. S. Yuan and J. H. Ning: Effect of impact ionization on C _{JC} of heterojunction bipolar transistors	
Erratum	
NUMBER 4	
Review Paper	
GEOFFREY K. REEVES, PATRICK W. LEECH and H. BARRY HARRISON: Understanding the sheet resistance parameter of alloyed ohmic contacts using a transmission line model	
EMILIO BORCHI and MARA BRUZZI: Analysis of non-exponential thermally stimulated currents for heavily doped silicon diodes	
J. J. Liou, C. I. Huang and J. Barrette: A model to monitor the current gain long-term instability in AlGaAs/GaAs HBTs based on noise and leakage current characteristics	
Y. H. Wu, J. S. Su, W. C. Hsu, W. C. Liu and W. Lin: Characteristics of In _{0.53} Ga _{0.47} As/InP double and single heterostructure-emitter bipolar transistors grown by LP-MOCVD	
A. Y. POLYAKOV, N. B. SMIRNOV, A. A. CHELNIY, A. A. BALMASHNOV, A. G. MILNES and S. J. PEARTON: The influence of hydrogen plasma treatment on reverse currents in InGaP and InGaAlP	
ERIC KOENIG, ULRICH SEILER, JÜRGEN SCHNEIDER, UWE ERBEN and HERMANN SCHUMACHER: Impact of thermal distribution and emitter length on the performance of microwave heterojunction bipolar transistors	
PATRICK W. LEECH and GEOFFREY K. REEVES: The modified sheet resistance of indium	

TADAHIKO HORIUCHI, J. DAVID BURNETT and CHENMING Hu: Bipolar transistor degradation under dynamic hot carrier stress	787
R. J. Schreutelkamp and L. Deferm: A new method for measuring the saturation velocity of submicron CMOS transistors	791
E. KUPHAL, K. MAUSE, K. MIETHE, A. EISENBACH, F. FIEDLER and A. CORBET: Electron diffusion length in InGaAs:Zn derived from heterostructure bipolar transistors	795
Manoj Mehrotra and B. Jayant Baliga: Trench MOS barrier Schottky (TMBS) rectifier: a Schottky rectifier with higher than parallel plane breakdown voltage	801
S. N. Mohammad, G. Fiorenza, A. Acovic, J. B. Johnson and R. L. Carter: Fowler-Nordheim tunneling of carriers in MOS transistors: two-dimensional simulation of gate current employing FIELDAY	807
TZONG-SHENG CHANG, WEN-CHUN WANG, FON-SHAN HUANG, LIH-PING WANG and JENN-CHANG HWANG: Rapid thermal nitridation of titanium on Cu/Si contact system	815
J. ZENG, P. A. MAWBY, M. S. TOWERS and K. BOARD: Numerical analysis of a trench VDMOST structure with no quasi-saturation	821
Q. Huang and G. A. J. Amaratunga: Analysis of double trench insulated gate bipolar transistor	829
You-Lin Wu, Zhao-Yin Wu and Jenn-Gwo Hwu: Improvement in reliability of <i>n</i> -MOSFETs by using rapid thermal N ₂ O-reoxidized nitrided gate oxides	839
A. Pecora, M. Schillizzi, G. Tallarida, G. Fortunato, C. Reita and P. Migliorato: Off-current in polycrystalline silicon thin film transistors: an analysis of the thermally generated component	845
Kuei-Shan Wen, Hsin-Hsien Li and Ching-Yuan Wu: A new gate current simulation technique considering Si/SiO ₂ interface trap generation	851
S. HARIHARAN and ALOKE K. DUTTA: An improved quasi two-dimensional model for short-channel MOSFETs	861
M. M. DE SOUZA and G. A. J. AMARATUNGA: An analysis of the kickout mechanism in silicon	867
M. F. Zybura, S. H. Jones, G. Tait and J. M. Duva: Efficient computer aided design of GaAs and InP millimeter wave transferred electron devices including detailed thermal analysis	873
Toshishige Yamada and D. K. Ferry: Monte Carlo simulation of hole transport in strained $Si_{1-x}Ge_x$.	881
PREDRAG HABAŠ: Charge-pumping characteristics of virgin and stressed lightly-doped drain MOSFETs	891
KÜRŞAD KIZILOĞLU, MAJID M. HASHEMI, STEVEN P. DENBAARS and UMESH K. MISHRA: On the interface resistance of regrown GaInAs on InP	905
A. P. BELYAEV, V. P. RUBETS and I. P. KALINKIN: Injection-contact phenomena in sub-micron layers of disordered zinc selenide	909

Two-dimensional hydrodynamic simulation of submicrometer dual gate MODFETs	917
Notes N. E. Bock: Silicon cryogenic MOST	931
L. HARMATHA, V. NÁGL, Ł. STUCHLÍKOVÁ, M. GAŽI and J. HALAJ: DLTS study of deep traps in Si varactor structures	933
MAHESH B. PATIL, Y. OHKURA, T. TOYABE and S. IHARA: On coupling the drift-diffusion and Monte Carlo models for MOSFET simulation	935
S. Mukhopadhyay and A. N. Daw: On the series resistance of a Schottky diode with cross strip anode	937
H. H. Choi and T. A. DeMassa: A 3D thermal model for electrostatic discharge thermal runaway in semiconductor devices	939
HYUNGKEUN AHN and M. EL NOKALI: A charge based capacitance model for high electron mobility transistors	943
J. J. Liou: An analytical model for the current transport of graded heterojunction bipolar transistors	946
NUMBER 5	
NUMBER 5	
S. SCHEINERT, G. PAASCH and D. SCHIPANSKI: Analytical model and temperature dependence of the thin film SOI FET	949
Wen-Shiung Lour: Two step doping channel FET with symmetric normally on and normally off characteristics	961
Wen-Shiung Lour: On the double negative-differential resistance of a superlattice- emitter resonant-tunneling bipolar transistor	965
P. FLATRESSE and T. Ouisse: Noise analysis of silicon carbide JFETs	971
QIN HUANG and G. A. J. AMARATUNGA: MOS controlled diodes—a new power diode	977
QIN HUANG and GEHAN AMARATUNGA: Forward blocking capability of double gate IGBTs at high temperatures	981
A. S. VERCAEMST, R. L. VAN MEIRHAEGHE, W. H. LAFLERE and F. CARDON: Hydrogen passivation caused by "soft" sputter etch cleaning of Si	983
A. Cola, L. Vasanelli and P. Muret: A method for the determination of barrier heights from the capacitance-voltage characteristics of a Schottky junction containing bulk deep traps.	989
TATSUSHI AKAZAKI, TAKATOMO ENOKI, KUNIHIRO ARAI and YASUNOBU ISHII: Improving the characteristics of an InAlAs/InGaAs inverted HEMT by inserting an InAs layer into	
the InGaAs channel	997

xii Contents

MICHÈLE HIRSCH, UWE RAU and JÜRGEN H. WERNER: Analysis of internal quantum efficiency and a new graphical evaluation scheme	009
SUMIO TANAKA: An indirect interband tunneling formulation for an arbitrary electric field direction in semiconductors)17
M. SARITAS and A. R. PEAKER: Deep states associated with oxidation induced stacking faults in RTA p-type silicon before and after copper diffusion)25
P. VIKTOROVITCH, P. LOUIS, M. P. BESLAND and A. CHOVET: Electrical characterization of metal-oxide-InP tunnel diodes based on current-voltage, admittance and low frequency noise measurements)35
MINGZHEN XU, CHANGHUA TAN, YANDONG HE and YANGYUAN WANG: Analysis of the rate of change of inversion charge in thin insulator p-type metal-oxide-semiconductor structures)45
K. DMOWSKI: Side data analysis of deep level transient spectroscopy spectra for a multipoint correlation method with binomial weighting coefficients)51
J. J. SZE and H. C. CHENG: A new analytical expression for the interface index of metal-Schottky contacts on semiconductors	159
HAE-SEOK CHO and JERRY G. FOSSUM: A physical and computationally efficient methodology for statistical circuit simulation in bipolar technologies	65
R. K. CHANANA, H. N. UPADHYAY, R. DWIVEDI and S. K. SRIVASTAVA: Electrical properties of 6.3 nm RF oxygen plasma oxide grown near room temperature with <i>in situ</i> dry cleaning of Si surface	75
François Danneville, Gilles Dambrine, Henri Happy, Patrick Tadyszak and Alain Cappy: Influence of the gate leakage current on the noise performance of MESFETs and MODFETs	81
HANS PFLEIDERER: Stepwise continuous solution of the semiconductor equations 108	89
B. P. Pal, Shubha, K. Honey Kumar and R. U. Khan: Frequency dependent behaviour of an ion implanted GaAs OPFET considering the photovoltaic effect and the gate depletion width modulation	97
Notes	
SUBHASH CHAND and JITENDRA KUMAR: Current-voltage characteristics of Pd ₂ Si based Schottky diodes on p-type (111) silicon and evaluation of their barrier heights	03
JI. CHYI, JH. GAU, JL. SHIEH, JW. PAN, YJ. CHAN, JW. HONG and MF. HUANG: Low threshold InAlGaAs/AlGaAs strained quantum well lasers grown by molecular beam epitaxy	05
KYOUNG YANG, IL-JUNG KIM, MIN-KOO HAN and YEARN-IK CHOI: An analytic solution for breakdown voltage of cylindrical junctions including the interface charge	07
ALFREDO OLMOS, RODRIGO REINA M. and EDGAR CHARRY R.: Conception of HEMTs threshold voltage based on the MOSFET model	09
G. V. Gadiyak and J. L. Korobitsina: Numerical simulation of the thermal oxidation of silicon in N ₂ O ambient	13
G. K. Reeves and H. B. Harrison: A tri-layer transmission line model applied to alloyed ohmic contacts	15

W. Y. Zhou, Y. B. Liou and C. Huang: Steady-state and transient heat responses in AlGaAs/GaAs HBT	1118
, , ,	1110
NUMBER 6	
Invited Paper FRED H. POLLAK, H. QIANG, D. YAN, WOJCIECH KRYSTEK and S. MONEGER: Nondestructive, room temperature analysis/qualification of wafer-sized semiconductor	
device structures using contactless electromodulation spectroscopy	1121
A. Y. POLYAKOV, A. A. CHELNIY, A. V. GOVORKOV, N. B. SMIRNOV, A. G. MILNES, S. J. PEARTON, R. G. WILSON, A. A. BALMASHNOV, A. N. ALUEV and A. V. MARKOV: Effects of proton implantation and hydrogen plasma passivation on electrical properties of InGaAlP and InGaP	1131
F. Ren, C. R. Abernathy, S. N. G. Chu, J. R. Lothian and S. J. Pearton: The role of hydrogen in current-induced degradation of carbon-doped GaAs/AlGaAs heterojunction bipolar transistors	1137
U. Erlesand and M. Östling: Carrier transport across the β-FeSi ₂ /Si heterojunction	1143
X. YI and J. J. LIOU: Surface oxidation of polycrystalline cadmium telluride thin films for Schottky barrier junction solar cells	1151
R. NARAYANAN, A. ORTIZ-CONDE, J. J. LIOU, F. J. GARCÍA SÁNCHEZ and A. PARTHASARATHY: Two-dimensional numerical analysis for extracting the effective channel length of short-channel MOSFETs	1155
N. A. Dumin, D. J. Dumin, G. A. Hames, J. J. Wortman and S. E. Beck: Effects of nitrogen incorporation during growth on thin oxide wearout and breakdown	1161
T. OHZONE, A. MICHII and T. HORI: Parasitic current characterisics of a MOSFET with a Si-implanted gate-SiO ₂	1165
M. J. KAO, W. C. HSU, H. M. SHIEH and T. Y. LIN: Improved mobilities and concentrations in double quantum well InGaAs/GaAs pseudomorphic HFETs using	
multi-coupled δ-doped GaAs	1171
P. K. McLarty, S. Cristoloveanu, O. Faynot, V. Misra, J. R. Hauser and J. J. Wortman: A simple parameter extraction method for ultra-thin oxide MOSFETs	1175
P. Danesh, A. Szekeres and S. Kaschieva: Oxidation of a-Si:H (Si/SiO ₂ interface properties)	1179
B. Heinemann, F. Herzel and U. Zillmann: Influence of low doped emitter and collector regions on high-frequency performance of SiGe-base HBTs	1183
JUNG-SUK GOO, YOUNG-GWAN KIM, HYEOKJAE L'YEE, HO-YUP KWON and HYUNGSOON SHIN: An analytical model for hot-carrier-induced degradation of deep-submicron n-channel LDD MOSFETs	1191
M. Ogawa, H. Matsubayashi, H. Ohta and T. Miyoshi: Accurate parameter extraction of heterojunctions based on inverse $C-V$ simulation	1197

A. S. V. SARMA and S. AHMAD: RF current distribution across metal—semiconductor ohmic contacts in mm-wave IMPATTs	1209
B. Tsap: Silicon carbide microwave field-effect transistor: effect of field dependent mobility	1215
K. Kasahara, K. Kunihiro, H. Nishizawa and Y. Ohno: Differences in epitaxial-layer/substrate interface properties of hetero-junction field effect transistors fabricated by molecular beam epitaxy and metal organic chemical vapor deposition	1221
Qu Guoli and Zhang Guangchun: On deep electron traps in semi-insulating GaAs crystals by thermally stimulated depolarization current	1227
MJ. Tsai, FS. Wang, KL. Cheng, SY. Wang, MS. Feng and HC. Cheng: Characterization of H ₂ /N ₂ plasma passivation process for poly-Si thin film transistors (TFTs)	1233
SL. JANG, MC. Hu and YS. CHEN: Current-voltage model of short-channel MOSFETs operated in the linear region	1239
A. A. DRUGOVA and V. A. KHOLODNOV: Character of the dependences of non-equilibrium electron and hole lifetimes on the concentration of recombination centres in impurity-type-recombination semiconductors	1247
A. Nussbaum: Capacitance and spreading resistance of a stripe line	1253
A. Nussbaum: A comparison of finite element and finite difference methods for the calculation of capacitance and spreading resistance of stripe lines	1257
Notes A. D. SADOVNIKOV, D. J. ROULSTON and D. CELI: Numerical and analytical calculation of collector buried layer resistance in a bipolar transistor	1261
XING ZHOU and HONG SIANG TAN: Monte Carlo formulation of field-dependent mobility for $Al_xGa_{1-x}As$	1264
FERENC RIESZ: Effect of spatial distribution of illumination intensity on the measured gain of interdigitated photoconductors	1267
S. S. DE, A. K. GHOSH, D. SIL, P. K. SINHA and M. BERA: Effect of surface recombination on the transit-time in heavily doped n^+-p junction silicon solar cell	1270
M. TABIB-AZAR: Reduction of surface leakage current in edge exposed GaAs P-N junctions by sulfur passivation and its time dependence	1273
B. GHODSIAN, D. L. PULFREY, Z. ABID and S. P. McALISTER: On the design of composite-collector HBTs	1275
M. FAYYAZ KHAN and M. REZWAN KHAN: A linearized model for the temperature sensitivity of P-N junction diodes	1279
B. Y. CHEN and J. B. Kuo: An accurate knee current model considering quasi-saturation for BJTs operating at high current density	1282

NUMBER 7

J. M. ZAVADA and DAHUA ZHANG: Luminescence properties of erbium in III-V compound semiconductors	1285
Wen-Jeng Ho, Ting-Arn Dai, Zuon-Ming Chuang, Wei Lin, Yuan-Kuang Tu and Meng-Chyi Wu: InGaAs PIN photodiodes on semi-insulating InP substrates with bandwidth exceeding 14 GHz	1295
H. G. Fu and T. S. Huang: Characteristics of PdIn ohmic contacts to n-GaAs with a thin Ge layer	1299
J. LIU, M. E. LAW and K. S. JONES: Evolution of dislocation loops in silicon in an inert ambient—I.	1305
S. CHAUDHRY, J. LIU, K. S. JONES and M. E. LAW: Evolution of dislocation loops in silicon in an inert ambient—II	1313
HUNG-SHENG CHEN, CHIH-SIEH TENG, LARRY MOBERLY and RAJEEVA LAHRI: Ion beam shadowing effect in submicrometer large-angle-tilt implanted drain (LATID) MOSFETs	1321
R. S. Scott and D. J. Dumin: The superposition of transient low-level leakage currents in stressed silicon oxides	1325
R. G. WILSON, C. B. VARTULI, C. R. ABERNATHY, S. J. PEARTON and J. M. ZAVADA: Implantation and redistributon of dopants and isolation species in GaN and related compounds	1329
K. Okamoto, T. Umezaki, T. Okada and R. Shinohara: Submonolayer and supermonolayer of InAs quantum wells grown on GaAs by molecular beam epitaxy	1335
A. KAGER, J. J. LIOU and C. I. HUANG: A numerical study of the effect of base and collector structures on the performance of AlGaAs/GaAs multi-finger HBTs	1339
T. Daniels-Race and S. Yu: Effect of spacer layer thickness on tunneling characteristics in asymmetric AlAs/GaAs/AlAs double barrier structures	1347
J. REED, M. TAO, D. G. PARK, A. BOTCHKAREV, Z. FAN, S. K. SUZUE, D. LI, G. B. GAO, S. N. MOHAMMAD, S. J. CHEY, J. E. VAN NOSTRAND, D. G. CAHILL and H. MORKOÇ: Characteristics of <i>in situ</i> deposited GaAs metal-insulator-semiconductor structures	1351
Yun-Shan Chang, Sheng S. Li and Ping-Chang Yang: Determination of interface recombination velocities and carrier lifetimes in SOI materials by a contactless optical modulation technique.	1359
LUIS M. CASTAÑER, RAMON ALCUBILLA and ANNA BENAVENT: Bipolar transistor vertical scaling framework	1367
KUEI-SHAN WEN and CHING-YUAN WU: A simple and accurate simulation technique for flash EEPROM writing and its reliability issue	1373
G. N. Dash: A new design approach for MITATT and TUNNETT mode devices	1381
SL. Jang, SS. Liu and CJ. Tsai: Dynamic high-current stressing damage and post- stress relaxation in $p-n-p$ silicon bipolar junction transistors	1387

conductance in depletion-mode field effect transistors	1395
M. KARLSTEEN and M. WILLANDER: Improved switch time of I ² L at low power consumption by using a SiGe heterojunction bipolar transistor	1401
FABRIZIO BONANI and GIOVANNI GHIONE: On the application of the Kirchhoff transformation to the steady-state thermal analysis of semiconductor devices with temperature-dependent and piecewise inhomogeneous thermal conductivity	1409
N. SENGOUGA and B. K. JONES: Backgating effects in GaAs FETs with a channel-semi-insulating substrate boundary	1413
NUMBER 8	
CHONG-LUNG WANG: Computation of current and transconductance of a nonuniformly doped channel MOSFET with an arbitrary doping profile	1423
A. St. Denis and D. L. Pulfrey: An analytical expression for the current in short-base transistors	1431
M. Ahmad, T. Ganguli, S. Patil, S. Major, Y. G. K. Patro and B. M. Arora: Determination of contact resistivity by a modified Cox and Strack method in case of finite metal sheet resistance	1437
ADEL BEN ARAB: Photovoltaic properties and high efficiency of preferentially doped polysilicon solar cells	1441
SHENG-LYANG JANG, KY. CHANG and JK. Hsu: Evidence of optical generation-recombination noise	1449
XIAO ZHIXIONG, ZHENG JIANG, WEI TONGLI, LI YAO and WANG MINGWANG: Analysis of the high injection effects in silicon bipolar transistors at low temperatures	1455
M. Persi and G. Gildenblat: Computationally efficient version of the Pao-Sah model with variable mobility	1461
M. Depas, B. Vermeire, P. W. Mertens, R. L. Van Meirhaeghe and M. M. Heyns: Determination of tunnelling parameters in ultra-thin oxide layer poly-Si/SiO ₂ /Si structures	1465
R. LIU, CY. LU, J. J. SUNG, CS. PAI and NS. TSAI: The effects of rapid thermal processing on ultra-shallow junctions for deep sub-micron MOSFETs	1473
ROLAND SORGE: Double-sweep LF-CV technique for generation rate determination in MOS capacitors	1479
K. A. Hennacy, YJ. Wu, N. Goldsman and I. D. Mayergoyz: Deterministic MOSFET simulation using a generalized spherical harmonic expansion of the Boltzmann equation	1485
James Victory, Julian Sanchez, Thomas DeMassa and Bruno Welfert: Application of the MOS charge-sheet model to nonuniform doping along the channel	1497

Contanto	
Contents	XVII

G. A. Armstrong and W. D. French: A model for the dependence of maximum oscillation frequency on collector to substrate capacitance in bipolar transistors	1505
ROBERTO MENOZZI: Numerical analysis of the extraction of barrier height and Richardson constant of Schottky contacts on AlGaAs/GaAs heterostructures	1511
L. PICHON, F. RAOULT, O. BONNAUD, H. SEHIL and D. BRIAND: Conduction behaviour of low-temperature (≤600°C) polysilicon TFTs with an <i>in situ</i> drain doping level	1515
G. BACQUET, F. HASSEN, C. FONTAINE, W. S. HOBSON and S. J. PEARTON: Luminescence polarization and spin-relaxation in GaAs grown on Si and on InP	1523
C. T. LEE, H. P. SHIAO and Y. C. CHOU: MESFET performance and limitations of optimized GaAs strained buffer layer grown on InP by molecular beam epitaxy	1529
I. V. Grekhov, A. F. Shulekin and M. I. Vexler: Silicon Auger transistor—new insight into the performance of a tunnel MIS emitter transistor	1533
Notes DIRK FREUND and ARNO KOSTKA: An analytical model of the $V_{\rm BE}$ -dependence of current-splitting in CMOS-compatible lateral bipolar transistors	543
Francis K. Chai, S. L. Kosier, R. D. Schrimpf and K. F. Galloway: A method for predicting breakdown voltage of power devices with cylindrical diffused junctions	1547

NUMBER 9

SPECIAL ISSUE

PROCEEDINGS OF THE TOPICAL WORKSHOP ON HETEROSTRUCTURE MICROELECTRONICS

Preface	vii
Committees	viii
SESSION 1 APPLICATIONS—1	
MASAHIRO MURAGUCHI and MASAYOSHI AIKAWA: Microwave components for cellular portable radiotelephone	1551
PAUL GREILING, CONILEE KIRKPATRICK and GARY VALENTINE: Military applications for heterostructure microelectronics technology	1559
K. Honjo: Applications of HBTs	1569
LOI D. NGUYEN, MINH V. LE, TAKYIU LIU, MARK LUI, KAREN KANEKO, ERIC HOLZMAN and MICHAEL J. DELANEY: Millimeter wave InP HEMT technology: performance and	
applications	1575

SESSION 2 APPLICATIONS—2

SABURO TAKAMIYA, NAOHITO YOSHIDA, NORIO HAYAFUJI, TAKUJI SONODA and SHIGERU MITSUI: Overview of recent development of HEMTs in the mm-wave range	1581
KEIICHI OHATA, MASAHIRO FUNABASHI, TAKASHI INOUE, KEN'ICHI HOSOYA, KAZUHIKO ONDA and MASAAKI KUZUHARA: Millimeter wave heterojunction FET monolithic integrated circuits for compact communication systems	1589
U. KÖNIG and H. DÄMBKES: SiGe HBTs and HFETs	1595
LUTZ J. MICHEEL: Multivalued logic applications of heterostructure devices and circuitry	1603
SESSION 3	
DEVICE TECHNOLOGY—1	
J. B. Shealy, WN. Jiang, P. A. Parikh, G. Verzellis and U. K. Mishra: Junction heterostructures for high performance electronics	1607
KANJI YOH, HAYATO TAKEUCHI, HIDEKI HASEGAWA, SATOSHI IZUMIYA and MASATAKA INOUE: Improvements of drain current characteristics of InAs field-effect transistors by the surface reaction of platinum gate	1611
FRITZ SCHUERMEYER, CHARLES CERNY, J. P. LOEHR and R. E. SHERRIFF: Photoelectric emission and conductance studies on fully fabricated PHEMTs	1615
K. Mochizuki, T. Nakamura, T. Tanoue and H. Masuda: AlGaAs/GaAs HBTs with buried SiO ₂ in the extrinsic collector	1619
SESSION 4 MANUFACTURING	
K. A. CHRISTIANSON, C. MOGLESTUE and W. T. ANDERSON: Failure mechanisms in AlGaAs/GaAs HEMTs	1623
Y. ASHIZAWA, C. NOZAKI, T. NODA, A. SASAKI and S. FUJITA: Surface related degradation of InP-based HEMTs during thermal stress	1627
H. T. Yamada, R. Shigemasa, H. I. Fujishiro, S. Nishi and T. Saito: Fabrication of 0.2 μm gate pseudomorphic inverted HEMT by phase-shifting technology	1631
SESSION 5 POWER DEVICES—1	
F. Ren, C. R. Abernathy, S. J. Pearton, L. W. Yang and S. T. Fu: Novel fabrication of self-aligned GaAs/AlGaAs and GaAs/InGaP microwave power heterojunction bipolar transistors	1635
G. Jackson, W. Struble, M. Adlerstein, S. Shanfield, M. Cobb, M. Zaitlin, E. Tong, R. Pucel and P. Saledas: High gain, pulsed power AlGaAs/GaAs HBTs	1641
J. J. LIOU, A. ORTIZ-CONDE, L. L. LIOU and C. I. HUANG: Thermal-avalanche interacting behavior of AlGaAs/GaAs multi-emitter finger heterojunction bipolar transistors	1645

SESSION 6 POWER DEVICES—2

M. Komaru, J. Udomoto, A. Inoue, T. Shimura, M. Sakai, T. Kuragaki and T. Tanino: Study on d.c. bias mode for common emitter HBT	1649
H. SATO, M. HASEGAWA, M. MIYAUCHI, J. K. TWYNAM, K. SAKUNO, M. AKAGI, K. YAMAMURA and T. MIYAJIMA: Optimization of the HBT and bump configuration for bump heat sink structure and application to HBT power MMICs	1653
J. K. TWYNAM, M. YAGURA, K. KISHIMOTO, T. KINOSADA, H. SATO and M. SHIMIZU: Thermal stabilization of AlGaAs/GaAs power HBTs using n -Al $_x$ Ga $_{1-x}$ As emitter ballast resistors with high thermal coefficient of resistance	1657
S. G. INGRAM, E. H. LINFIELD, K. M. BROWN, G. A. C. JONES, D. A. RICHIE and M. J. KELLY: Performance of double heterostructure unipolar transistors in high frequency power applications	1663
SESSION 7 MATERIAL TECHNOLOGY	
F. ALEXANDRE, J. L. BENCHIMOL, P. LAUNAY, J. DANGLA and C. DUBON-CHEVALLIER: Modern epitaxial techniques for HBT structures	1667
JUN-ICHI SHIRAKASHI and MAKOTO KONAGAI: InGaP/GaAs and InP/InGaAs heterojunction bipolar transistors with a super heavily carbon-doped base grown by metalorganic molecular beam epitaxy	1675
S. Suzuki, S. Kodama and H. Hasegawa: A novel passivation technology of InGaAs surfaces using Si interface control layer and its application to field effect transistor	1679
S. Shiobara, K. Sasaki and H. Hasegawa: Surface electrical breakdown characteristics of molecular beam epitaxial layers grown at low temperatures	1685
SESSION 8 DEVICE TECHNOLOGY—2	
PETER ASBECK: Development of HBT structures to minimize parasitic elements	1691
D. Pavlidis, K. Hong, K. Hein and Y. Kwon: Material and device properties of MOCVD grown InAlAs/InGaAs HEMTs	1697
YUTAKA MATSUOKA and EIICHI SANO: InP/InGaAs double-heterostructure bipolar transistors for high-speed ICs and OEICs	1703
K. IMAMURA, M. TAKATSU, T. MORI, S. MUTO and N. YOKOYAMA: Open-base multi- emitter HBTs with increased logic functions	1711
SESSION 9 IC TECHNOLOGY	
H. SUEHIRO, T. MIYATA, N. HARA and S. KURODA: A 48.1 ps HEMT DCFL NAND circuit with a dual gate structure	1717

	eccue, J. Yu, K. Pedrotti, R. L. Pierson, W. J. Ho, M. F. Chang uit demonstrations in a GaAs BiFET technology
	SESSION 10
	DEVICE TECHNOLOGY—3
	MAN, H. PARK, W. GRIMM and M. HURT: Novel heterodimensional
A. SADEK and K. ISMAIL	L: Si/SiGe CMOS possibilities
Keyword Index	
Author Index	
	NUMBER 10
Review Paper	
	Boos: Deep-level trapping in ion-implanted InP JFETs
Hydrogen and nitrogen	. MILNES, XIAOLEI LI, A. A. BALMASHNOV and N. B. SMIRNOV: a plasma treatment effects on surface properties of GaSb and
	ui Tsai, Wen-Chau Liu, Wei-Chou Hsu and Wen-Shiung Lour: GaAs-GaAs doped-channel MIS-like pseudomorphic transistor
a lattice-matched In _{0.53}	C. Hsu, W. Lin and W. C. Liu: Electrical characteristics of Al _{0.22} Ga _{0.25} As/InP heterojunction bipolar transistor with zero er-base heterojunction
	PARTHASARATHY, S. F. LIN and C. I. HUANG: Current transport in nction bipolar transistors operating between 300 and 500 K
collector current and t	TSUEN-LIN LEE and HAO-HSIUNG LIN: Relation between the the two-dimensional electron gas stored in the base-collector InAlAs/InGaAs/InAlGaAs DHBTs
	and G. K. Reeves: Interface states capacitance in AuPtTi/nGaAs nodified Schottky capacitance spectroscopy method
	CERHOFF and F. J. TEGUDE: Investigation of leakage current gates on InAlAs/InGaAs/InP HFET structures by a 1D model
	and U. Wiese: Two-dimensional analytical models of the carrier tate of the IGBT
	and D. S. H. CHAN: A new gate current measurement technique of hot-carrier induced degradation in MOSFETs
	en and C. Claeys: A new method for determining the front and sities of accumulation mode SOI MOSFETs at 77 K

Guo-fu Niu and Gang Ruan: An analytical back gate bias dependent subthreshold swing model for accumulation-mode p-channel SOI MOSFETs	1805
H. Z. FARDI: Effects of electron trapping on diffusion time-of-flight measurement in GaAs	1811
J. NIEHOF, H. C. DE GRAAFF, A. J. MOUTHAAN and J. F. VERWEY: An empirical model for early resistance changes due to electromigration	1817
Z. R. TANG, T. KAMINS and C. A. T. SALAMA: Analytical and experimental characteristics of SiGe heterojunction bipolar transistors with thin α-Si:H emitters	1829
Notes Zs. J. Horváth: Comment on "Breakdown voltage of high-voltage GaAs Schottky diodes"	1835
XIAO ZHIXIONG and WEI TONGLI: Calculation of the intrinsic carrier concentration and the minority-carrier concentration of silicon for heavy phosphorus doping with non-parabolic energy bands at low temperature	1837
C. C. LARGENT, M. J. GROVE, D. A. HUDSON, P. S. ZORY and D. P. BOUR: Anomalous light emission from semiconductor laser material during pulsed anodization	1839
W. R. ZHANG, W. G. Wu, Z. ZENG and J. S. Luo: Effect of Ge composition linear grading in the base on the Early voltage of Si/Si _{1-x} Ge _x /Si HBTs	1842
J. B. Kuo, K. W. Su, Y. G. Chen and S. S. Chen: Short-channel effect on the threshold voltage of accumulation-type, inversion-type and intrinsic-type SOI PMOS devices	1845
Guo-Fu Niu and Gang Ruan: Punchthrough path in double gate SOI MOSFETs	1848
A. Mallik, A. N. Chandorkar and J. Vasi: Capture cross-section of hole traps in reoxidized nitrided oxide measured by irradiation	1851
M. JAGADESH KUMAR and DAVID J. ROULSTON: New buried P ⁺ -grid polysilicon emitter bipolar power transistor	1854
NUMBER 11	
HUNG-SHENG CHEN, CHIH SIEH TENG, JI ZHAO, LARRY MOBERLY and RAJEEVA LAHRI: Analog characteristics of drain engineered submicron MOSFETs for mixed-signal applications	1857
D. W. Feldbaumer and J. A. Babcock: Theory and application of polysilicon resistor trimming	1861
J. W. LEE, S. J. PEARTON, C. R. ABERNATHY, W. S. HOBSON, F. REN and C. S. Wu: Investigation of wet etching solutions for In _{0.5} Ga _{0.5} P	1871
H. J. LEE and W. A. Anderson: Optical and chemical analysis of the Ag/In _{0.53} Ga _{0.47} As interface formed at low temperature	1875
ROBERT CAVERLY, GERALD HILLER, DAVID RANCOUR, JOSEPH BUKOWSKI and ZHI-WEN TANG: Temperature effects on PIN diode forward bias resistance	1879

xxii Contents

B. L. YANG, H. WONG and Y. C. CHENG: Study of shallow bulk traps in thin nitrided oxide films by thermal re-emission of electrons trapped at high field	1887
E. P. VANDAMME, L. K. J. VANDAMME, C. CLAEYS, E. SIMOEN and R. J. SCHREUTELKAMP: Impact of silicidation on the excess noise behaviour of MOS transistors	1893
P. MOUNAIX, J. M. LIBBERECHT and D. LIPPENS: Electron transfer between two coupled quantum wells in a resonant tunneling diode structure	1899
F. Herzel and B. Heinemann: High-frequency noise of bipolar devices in consideration of carrier heating and low temperature effects	1905
R. P. Joshi and D. K. Ferry: Calculations of the temperature and field dependent electronic mobility in β-SiC	1911
V. SOMMER, J. HEDRICH, K. WEIGEL, O. PERILLIEUX and K. HEIME: Observation and modelling of RTS in InAlAs/InGaAs/InP HFETs	1917
M. DI DIO, A. COLA, M. G. LUPO and L. VASANELLI: Current transport in Ti/GaAs Schottky barriers prepared by ion beam sputtering	1923
T. A. VDOVENKOVA, A. P. VETROV, S. S. KILCHITSKAYA, T. S. KILCHITSKAYA, G. D. POPOVA and V. I. STRIKHA: Annealing effect on the characteristics of MTIS solar cells	1929
BOGDAN MAJKUSIAK and TOMASZ JANIK: Influence of carrier energy quantization on the gate-induced drain breakdown	1933
N. VEISSID, D. BONNET and H. RICHTER: Experimental investigation of the double exponential model of a solar cell under illuminated conditions: considering the instrumental uncertainties in the current, voltage and temperature values	1937
Ana Isabela Araújo Cunha, Márcio Cherem Schneider and Carlos Galup-Montoro: An explicit physical model for the long-channel MOS transistor including small-signal parameters	1945
CHUNGKUN SONG and KENNETH P. ROENKER: A neuron-like multi-quantum-well injection-mode device for electronic pulse-mode circuits	1953
Notes A. SADEK, S. ED. HABIB and K. ISMAIL: Analytical model of Si/SiGe field-effect transistors	1969
V. Arbet-Engels, W. Chang, E. Yablonovitch, G. J. Sullivan, M. K. Swed and M. F. Chang: Flexible, thin-film, GaAs hetero-junction bipolar transistors mounted on natural diamond substrates.	1972
K. CHEN, M. CHAN, JH. HUANG, P. K. Ko and C. Hu: Polysilicon gate depletion effect on IC performance.	1975
NUMBER 12	

Review Paper

CLIFFORD M. KROWNE, KIKI IKOSSI-ANASTASIOU and ELIAS KOUGIANOS: Early voltage in heterojunction bipolar transistors: quantum tunneling and base recombination effects

1979

Santos Mayo and Harry A. Schafft: Electrical characterization of integrated circuit metal line thickness	1993
HUNG-PIN SHIAO, CHI-YU WANG, YUAN-KUANG TU, WEI LIN and CHING-TING LEE: InGaP/GaAs multiquantum barrier structures prepared by low-pressure organometallic vapor phase epitaxy	2001
YORITO OTA, MANABU YANAGIHARA and MORIO NAKAMURA: Failure mode analysis of AlGaAs/GaAs HBTs using electrostatic discharge method	2005
F. Ren, D. N. Buckley, K. M. Lee, S. J. Pearton, R. A. Bartynski, C. Constantine, W. S. Hobson, R. A. Hamm and P. C. Chao: Effect of ECR plasma on the luminescence efficiency of InGaAs and InP.	2011
Q. J. Hartmann, M. T. Fresina, D. A. Ahmari and G. E. Stillman: Effect of collector design on the d.c. characteristics of $In_{0.49}Ga_{0.51}P/GaAs$ heterojunction bipolar transistors	2017
N. LUNDBERG and M. ÖSTLING: CoSi ₂ ohmic contacts to n-type 6H-SiC	2023
HSIAO-YI LIN, TAN FU LEI, HORNG-CHIH LIN, CHUN-YEN CHANG, RUEY-CHING TWU, RAY-CHERN DENG and JANDEL LIN: Characteristics of polycrystalline films grown by ultrahigh vacuum chemical vapor deposition system	2029
S. CHITTIPEDDI, V. C. KANNAN and B. RAMBABU: Integrity of shallow junction CMOS structures with Ti/TiN/Al-Si-Cu and Ti/TiN/Al-Cu contact metallization	2035
H. R. ZELLER: Cosmic ray induced failures in high power semiconductor devices	2041
R. J. Shul, C. T. Sullivan, M. B. Snipes, G. B. McClellan, M. Hafich, C. T. Fuller, C. Constantine, J. W. Lee and S. J. Pearton: Attenuation losses in electron cyclotron resonance plasma etched AlGaAs waveguides	2047
Y. G. CHEN, J. B. Kuo, Z. Yu and R. W. Dutton: An analytical drain current model for short-channel fully-depleted ultrathin silicon-on-insulator NMOS devices	2051
H. Norde: Ionized dopant concentrations in silicon—an analytical approach	2059
RANBIR SINGH and B. J. BALIGA: Cryogenic operation of asymmetric field controlled thyristors	2063
L. Jung, J. Damiano Jr, J. R. Zaman, S. Batra, M. Manning and S. K. Banerjee: A leakage current model for sub-micron lightly-doped drain-offset polysilicon TFTs	2069
P. MIGLIORATO, C. REITA, G. TALLARIDA, M. QUINN and G. FORTUNATO: Anomalous off-current mechanisms in N-channel poly-Si thin film transistors	2075
ARTURO MORALES-ACEVEDO: Analysis of buried contact solar cells and some rules for their optimum design	2081
S. C. Choo: Theory of surface photovoltage in a semiconductor with a Schottky contact	2085
S. P. WILSON, S. Brand and R. A. Abram: Avalanche multiplication properties of GaAs calculated from spatially transient ionisation coefficients	2095

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.

